



Done by: Sora Al-qura'an





NOTE: The questions colored in red are from past papers

1.	One of the following is a main function of premarital health care :
	A) Semen analysis .
	B) controlling risk factors .
	C) providing medical history
	D) psychological and social Counseling.
	2. Based on the FANC model when does a pregnant woman make the third ANC visit during pregnancy ?
	A) First trimester
	B) second trimester
	C) third trimester
3.	The jordanian governate has the highest rate of teenage childbearing is:
	a. Irbid
	b. Amman
	c. mafraq
	d. jarash
	4. Which period of gestation does the first trimester represent :
	A) 1- 11 weeks

	B) 1-10 weeks
	C) 1- 13 weeks
	D) 1 - 12 weeks 5. Baby is called low birth weight if she/ he measures less than: A) 1.5 kg B) 2.5 Kg
	C) 3.5 kg
	e. 2.2 kg
6. The b	pase of MCH is :
A) Fami	ly planning
B) emo	tional support
C) phys	iological support
D) ante	natal care
7. the	leading cause of material mortality worldwide is:
	preterm labor
	Preeclampsia Anemia
•	Miscarriage
,	
	ling of hands and face, hypertension and proteinuria are symptoms of a complication of ncy which is:
A)	gestational diabetes
В)	miscarriage
C)	Preeclampsia

D)	Preterm labor
9. Pre	eclampsia tends to occur during what time in pregnancy ?
A)	First trimester
B)	before 20 weeks
C)	after 20 weeks
10 . A called	decrease in the level of hemoglobin in the blood of less than 11 gr/dL during pregnancy is :
B) C)	Anemia malaria Eclempsia Hypertension
11.	All of these are risk factors for anemia , except for :
A)	poor nutrition
В)	Twin pregnancy
c) s	smoking
D)	Renal disease
12. Wh	ich of the following is responsible for 95% of Anemia among pregnant women:
A) Hum	nodulution
B) Fola	te deficiency

D)	iron deficiency		
	13. The main cause of maternal morbidity in jordan:		
	A) Hypertension		
	B) multiple pregnancy		
	C) UTIs		
	D) heart diseases		
	14. One of the following is not a direct cause of maternal mortality		
	A) Severe bleeding		
	B) hypertensive disorders		
	C) anemia		
E)	unsafe abortion		
15. % c	of Maternal mortality due to direct complications:		
A)	20%		
B)	80%		
C)	15%		
D)	12%		
16. The region with The highest maternal mortality:			
A) South Asia			

B) East Asia
C) Latin America
D) Sub - Saharan Africa
17 . The highest among the direct causes leading to maternal mortality in jordan :
A) Hemorrhage
B) Thromboembolism
C) Septicemia
18. Number of daily maternal deaths According to WHO statistics for the year 2016:
A) 1500
B) 308
C) 4000
D) 830
19. The highest among the indirect causes of maternal mortality in jordan according to 2007- 2008:
A) Kidney failure
B) communicable diseases c) heart diseases
D) Chronic anemia

ANSWERS :

- 1. A+c
- 2. C
- 3. C
- 4. D
- 5. B
- 6. D
- 7. B
- 8. C
- 9. C
- 10. A
- 11. D
- 11. 0
- 12. C
- 13. C
- 14. C
- 15. B
- 16. D
- 17. A
- 18. D
- 19. C