



دكتور 2019

Top contributor

Moaid Sawalha · 11 Jun



2024 ·



Nada W. Odeh

Most common cause of CKD
Obstructive uropathy and reflux

50w Like Reply

4



Nada W. Odeh

About DKA - what's wrong
Age >5 increases the risk of CE

50w Like Reply

5



Nada W. Odeh

From the 50th percentile to the 3rd / drop took place between 5-9 months of age / normal activity and development
1- decreased caloric intake /2- increased energy expenditure /3- improper formula preparation / ??

50w Like Reply

1



Yazan Dabbah

[Nada W. Odeh](#) 1?

50w Like Reply

4



Write a reply...



Sarah Allatayfeh

....

50w Like Reply



Write a comment...





Nada W. Odeh

A case of bronchiolitis - what's wrong
Give corticosteroids to decrease the duration
of symptoms ig

50w Like Reply

3



Nada W. Odeh

What's right about dehydration
Can be assessed through clinical exploration
or sth like that

50w Like Reply

5



Nada W. Odeh

A case of meningitis (didn't take any
vaccines) - most common cause
Hib

50w Like Reply

3



Nada W. Odeh

Most common cause of CKD
Obstructive uropathy and reflux

50w Like Reply

4



Nada W. Odeh

About DKA - what's wrong
Age >5 increases the risk of CE

50w Like Reply

5



Write a comment...





1. Family came to you for their new baby concerned about cow milk protein allergy, her two sisters suffer from it, best management:

A. Partially hydrolyzed infant formula

B. Soy based milk formula

هسا الخيار الأول مذكور أنه ما له فائدة بالسلايدات

الثاني مكتوب أنه IGe mediated cow's milk

So IDK

2. First food to introduce for infant:

الخيارات بالحذف، بضل crerals أو برضه أنا نعسانة

3. Wrong about ge :

A. Always with vomiting

B . Decreased oral intake has the most

prognostic value أو اشى زي هيك

A

4. Child with diarrhea weight loss fatty or foully smelling , dx - CF

5. 12 yrs abdominal pain bloody di... See more

50w Like Reply



سيرين ناظوريه

Newborn with 2 sisters who have cmpa...

What to do? Switch to Soy milk.. Continue

formula because Cmpa is not hereditary...

Partially hydrolized protein..?

50w Like Reply



Bushra Salem Top contributor
switch to soy milk

50w Like Reply

1



Write a comment...





Nada W. Odeh

[Sereen Natorieh](#) partially hydrolyzed as it's the only one preventive soy formula isn't used to decrease the risk

50w

Like

Reply

3



سيرين ناطوريه

[Nada W. Odeh](#)

بتوقع الإجابة continue formula لأنه البيبي نفسه ما عنده أعراض...

50w

Like

Reply

1



دانا الطراونة

[Nada W. Odeh](#) the slides mentioned we don't use partially hydrolyzed formulas anymore, sa7?

50w

Like

Reply

3



Nada W. Odeh

[دانا الطراونة](#)

Tbh idk I remember the dr explicitly saying if a parent or a sibling has the allergy and we want a hypoallergic formula for preventive purposes we go for partially hydrolyzed formulas

50w

Like

Reply

1



Write a reply...



Write a reply...



Write a comment...





seizure medication

50w Like Reply

2



Zaina Abduljalil

Pt with nephrotic syndrome and diffuse abdominal pain > peritonitis

50w Like Reply

4



Zaina Abduljalil

What's wrong about renal Scarring > E. coli is the most common cause I think

50w Like Reply

6



Zaina Abduljalil

Celiac rash(dermatitis herpetiformis) > extensor surfaces

50w Like Reply

4



Zaina Abduljalil

Pancytopenia + cafe au lait spots > fanconi anemia

50w Like Reply

4



Fatemah Boushehri Top contributor

..

50w Like Reply



Omar Aljemzawi

.

50w Like Reply



Write a comment...





2. 3 year old with symptoms of uti (ما ذكر) recurrent infection) (wrong about management):

Do dmsa scan

3. A scenario of a child ate fish yesterday, pitting edema scrotal swelling, UA +4 protein + rbc negative nitrate negative LE, no hypertension stable vitals negative C3,C4 dx ?

A. Allergic to fish

B . HUS

C. GN

D. Nephrotic

أنا برأبي الشخصي D

4. A male previously diagnosed with nephrotic syndrome came with abdominal pain (سيناريو abdominal infection) :

Spontaneous peritonitis

5. Not a symptom of AKI : developmental delay

5. سؤال حسبة fluids

10 kg, stabilized with bolus

6. Suspected with meningitis on tx

Hyponatremia 124 fena 60 most likely?

SIADH (any na imbalance in pneumonia & meningitis raise sup.

50w Like Reply



Zaina Abduljalil

Apgar score measures immediate adaptability or something

50w Like Reply



Write a comment...





Anas Tarawneh Top contributor

Was it moderate or severe dehydration?

50w Like Reply



Zaina Abduljalil

Pt with a fever and asking for most concerning symptom or something like that>> non blanching petechial rash ?

50w Like Reply

3



Zaina Abduljalil

True about diagnosis of dehydration >> it's a clinical diagnosis I guess

50w Like Reply

6



Top contributor بشرى الوريكات

nephro

1. Wrong about renal scaring

A. Ecoli most causative

B DMSA - diagnostic

C caused by delayed tx

الجواب A

2. 3 year old with symptoms of uti (ما ذكر) recurrent infection) (wrong about management):

Do dmsa scan

3. A scenario of a child ate fish yesterday, pitting edema scrotal swelling, UA +4 protein + rbc negative nitrate negative LE, no hypertension stable vitals negative C3,C4 dx ?

A Allergic to fish



Write a comment...





Moaid's post



Bayan Alomoush

[Lama Rabadi](#) circulating volume normal

لانه حكي بالسؤال not dehydrated

50w

Like

Reply

1



Bayan Alomoush

[Lama Rabadi](#)

Hyponatremia with normal ECF

50w

Like

Reply

1



Write a reply...



Lama Rabadi

Premature _> well developed reflexes

50w

Like

Reply

5



Doha A. Khalifeh Top contributor

renal طيب ليش مش [Bayan Alomoush](#) failure

50w

Like

Reply



Write a reply...



Bayan Alomoush

Not in breath-holding attacks? Give anti-seizure medication

50w

Like

Reply

2



Write a comment...





🔖 Top contributor حنين صيام
maintenanceانا حسبت Rand Hatamleh
+deficit ما بعرف ايش الصح

50w Like Reply



Write a reply...



Zaina Abduljalil
Loose bulky stool and respiratory symptoms>>
CF

50w Like Reply

5



Lama Rabadi
10 months infant --> least DDx--> acute
epiglottitis ??

50w Like Reply

1



Zaina Abduljalil
SIDS prevention >> babies should sleep on
their back ?

50w Like Reply

6



Nada W. Odeh
Not caused by mumps
Chronic hepatitis

50w Like Reply

7



Zaina Abduljalil
10 year old with a headache, which of the



Write a comment...





Heme

1. Long scenario microcytic anemia with splenomegaly high mchc next step: osmotic fragility test (أعتقد هيك السؤال كان في احتمال اني (مش مركزة)
2. Anemia skin cafe au lait & other skeletal anomalies
Facioni anemia
3. Wrong about IDA :
Neurologic defect
4. Scenario infant with a mother with anemia rdw 94 etc etc on blood smear appeared hypersegmented neutrophils what to order next:
Vit b 12 & folate levels

50w Like Reply



Zaina Abduljalil

Acute bacterial sinusitis false statement

50w Like Reply



Zaina Abduljalil

Cavitary lesion on the lung most common cause

50w Like Reply



Nada W. Odeh

[Zaina Abduljalil](#) staph. aureus

50w Like Reply

1



Write a comment...





50w Like Reply



Leen M. Hadidi

[Ja'far M Zaben](#) used for children <5 years ??

50w Like Reply



Write a reply...



Yazan Dabbah
EBV

50w Like Reply

3



Ja'far M Zaben
Kawazaki disease

50w Like Reply



Yazan Dabbah

[Ja'far M Zaben](#) generalized lymphadenopathy

50w Like Reply

2



Write a reply...



Sham Zghoul
[Yasmeen M Alnawashi](#)

50w Like Reply



Ja'far M Zaben
Reactive bronchospasm



Write a comment...





Moaid's post



steroids, its most likely pancreatitis

50w Like Reply

1



Write a reply...



Carmen Sahawneh
Cystic fibrosis

50w Like Reply

5



Write a reply...



Sultan Elayan Top contributor

.....

50w Like Reply



Aliah AlShammari Top contributor
growth chart سوال
constitutional delay?

50w Like Reply

3



Ja'far M Zaben
WHO chart

50w Like Reply



Top contributor صهيب الشباطات
[Ja'far M Zaben](#)
Wrong: cross section study

50w Like Reply



.....



Write a comment...





Moaid's post



[Zaina Abduljallil](#) It's more about choosing one that isn't characteristic ig so maybe head lag ?

50w Like Reply

6



Write a reply...



Hamzah Alzaben Top contributor
حلل يا دويري [Ayman Batal](#)

50w Like Reply



Top contributor **حنين صيام**
10 kg patient with tachycardia calculate fluid?
1700?

50w Like Reply



Rand Hatamleh Top contributor
حنين صيام مش لانه صار stable بس بنعطيه
maintenance يعني 1000?

50w Like Reply



Muntaser Zyoud
 [Rand Hatamleh](#) اعتبرته mild انا
وضفت 000

50w Like Reply



Write a reply...



Top contributor **حنين صيام**
maintenance... [Rand Hatamleh](#)



Write a comment...





50w Like Reply



Zaina Abduljalil

Question describing hemolytic anemia and asking for test? G6pd level not sure though

50w Like Reply

2



Nada W. Odeh

[Zaina Abduljalil](#)

Splenomegaly & gallstones ig make the answer osmotic fragility test

50w Like Reply

7



Top contributor **حنين صيام**

Zaina Abduljalil high Idh, increased indirect bilirubin, and mild splenomegaly? hereditary spherocytosis.

50w Like Reply



Write a reply...



Zaina Abduljalil

Regression with coarse facials features and hepatomegaly>> lysosomal storage diseases?

50w Like Reply

5



Anas Tarawneh Top contributor

Was it moderate or severe dehydration?

50w Like Reply



Zaina Abduljalil



Write a comment...





دكتور 2019

Top contributor

Moaid Sawalha · 11 Jun

2024 ·



Bayan Alomoush

No dehydration, $\text{Na}=126$, $\text{UNa}=60$? SIADH

50w

Like

Reply

4



Lama Rabadi

[Bayan Alomoush](#) salt wasting ? $\text{Na}=126$ hypotonic ?

50w

Like

Reply

1



Lama Rabadi

Etiology of hyponatremia

Circulating volume	Urinary Na (mEq/L)	
	≤ 20 <i>Extra Renal losses</i>	≥ 20 <i>Renal losses</i>
Decreased	Burns	Adrenal insufficiency
	Cystic fibrosis	Diuretics - early
	Diuretics - late	Salt wasting
	Gastroenteritis	
Normal or Increased	Cardiac failure	Renal failure -
	Hepatic cirrhosis	SIADH
	Nephrotic syndrome	Water intoxication <i>→ psychogenic polydipsia</i>

50w

Like

Reply



Bayan Alomoush

[Lama Rabadi](#) circulating volume normal

لانه حكي بالسؤال not dehydrated

50w

Like

Reply

1



Write a comment...





Moaid's post



Omar Sharif

[Carmen Sahawneh](#)

The answer was you cant predict the growth

50w

Like

Reply

3



Carmen Sahawneh

[Omar Shak'ah](#) isn't it at 4 years we double height?idk

50w

Like

Reply

1



Carmen Sahawneh

Kawasaki generalized lympho

50w

Like

Reply

1



Omar Sharif Top contributor

[Omar Shak'ah](#) height doubles after 4 years (40in) from birthweight (20in)

50w

Like

Reply



Carmen Sahawneh

Bacterial peritonitis

50w

Like

Reply

8



Carmen Sahawneh

Celiac with extensor blister

50w

Like

Reply

6



Sanad Dababneh

[Carmen Sahawneh](#) the pt took



Write a comment...





Moaid's post



Lama Rabadi

EBV virus ?-> splenomegaly ,enlarged tonsils

50w Like Reply



Zaina Abduljalil

Patient who had 4 days of swelling and ate fish the day before protein +4 RBC +2 creatinine normal >> nephrotic

50w Like Reply



Lama Rabadi

Growth retardation _> CKD

50w Like Reply



Omar Sharif Top contributor

do you remember the question? thank you!

50w Like Reply



Lama Rabadi

[Omar Sharif](#)

least occurs in CKD (less associated with)

50w Like Reply



Nada W. Odeh

[Lama Rabadi](#)

AKI *

50w Like Reply



Write a comment...





10 year old with a headache, which of the following isn't an indication for brain imaging?
1) migraine headache without family history of migraine 2) occipital focus or sth 3) headache on awakening 4) abnormal neuro exam

50w Like Reply



Leen M. Hadidi
[Zaina Abduljalil](#) 1 (without fhx**)

50w Like Reply



Write a reply...



Zaina Abduljalil
Something about strep meningitis and what to do in follow up? I think vaccine

50w Like Reply



Yaman Kassem
[Zaina Abduljalil](#) hearing test?

50w Like Reply



Write a reply...



🔖 Top contributor بشرى الوريكات
Heme

1. Long scenario microcytic anemia with splenomegaly high mchc next step: osmotic fragility test (أعتقد هيك السؤال كان في احتمال اني)
(مش مركزة)



Write a comment...





Bushra Salem Top contributor
the most common cause of neonatal seizures ? Hypoxia-ischemia encephalopathy

50w Like Reply

2



سيرين ناطوريه
Recommend duration for delayed cord clamping?

50w Like Reply



Bushra Salem Top contributor
[Sereen Natorieh](#)
0.5-5 min

50w Like Reply



Write a reply...



Top contributor بشرى الوريكات
GI
1. Family came to you for their new baby concerned about cow milk protein allergy, her two sisters suffer from it, best management:
A. Partially hydrolyzed infant formula
B. Soy based milk formula
هسا الخيار الأول مذكور أنه ما له فائدة بالسلايدات
الثاني مكتوب أنه IGe mediated cow's milk
So IDK
2. First food to introduce for infant:
الخيارات بالحذف، بضل crerals أو برضه أنا نعسانة



Write a comment...





Moaid's post



50w Like Reply

1



Lama Rabadi

[Nada W. Odeh](#) ohhh yeah , Im sorry ,
it was AKI

thank you 🥰

50w Like Reply

1



Write a reply...



Write a reply...



🔖 Top contributor **حنين صيام**
الولد اللي أكل سمكة

50w Like Reply



Rawan Fratekh 🔖 Top contributor

[حنين صيام](#) 😂😭
nephrotic

50w Like Reply



Write a reply...



Zaina Abduljalil

Not present in a neonate with hypotonia

50w Like Reply



Nada W. Odeh

[Zaina Abduljalil](#) it's more about choosing



Write a comment...





Moaid's post



Zaina Abduljalil

Something about pneumonia and wrong about management

50w Like Reply



Samar Hamdan

[Zaina Abduljalil](#) blood culture before antibiotics?

50w Like Reply

2



Leen M. Hadidi

[Samar Hamdan](#) blood culture before antibiotics - but it didn't say delay the treatment 🥺🥺

Repeat x ray after 48 h seems more accurate 🙋

50w Like Reply

3



Write a reply...



Write a reply...



Farah Hazem

في سوال كان عنده tsh عالي ونورمال ؟t4

50w Like Reply



Bushra Salem Top contributor

the most common cause of neonatal



Write a comment...

