FORENSIC & TOXICOLOGY SUMMARY

Done by Shahed Atiyat

Toxicology summary

Lecture 3: Carbon monoxide poisoning

CO sources:

- Motor vehicle exhaust fumes.
- Gasoline, diesel and propane-powered engines.
- Smoke from charcoal fire.
- Tobacco smoke.
- Methylene chloride (in paint and cleaning).

Toxicokinetics:

- ❖ CO affinity to Hb is 200-300 times more oxygen, forming carboxyhemoglobin (COHb).
- Cause tissue hypoxia via:
 - 1. CO reversibly binds to Hb resulting in functional anemia.
 - 2. Shifts O2-Hb dissociation curve to the left = increase the affinity for O2 = decrease the release of O2 in tissues (Bohr effect)
 - 3. Bind to myoglobin causing cardiac ischemia and decrease in cardiac output.
- ❖ Body systems most affected are the cardiovascular and central nervous systems.
- ❖ CO half-life on 21% room air O2: 4-6 hours.

Signs and symptoms:

Mild severity	Moderate severity	Severe
COHb level is 5-20%	COHb level is 21-40%	COHb level is 41-60%
May be asymptomatic	Severe headache	Confusion
Mild to moderate headache	Confusion	Seizures
Dizziness	Syncope	Coma
Blurred vision	Weakness	Dysrhythmias & palpitation
Shortness of breath	Dyspnea & tachypnea	Hypotension
Nausea and vomiting	Chest pain & tachycardia	Cardiac ischemia
		Cardiac arrest
		Respiratory arrest
		Pulmonary edema

Treatment:

- 1. Remove from contaminated area into fresh air.
- 2. Give artificial respiration or CPR, as appropriate.
- 3. Immediately give 100% O2 with hyperbaric O2 (antidote).

Lecture 4: Cyanide poisoning

Cyanide sources:

- Sodium nitroprusside.
- ❖ Fire victims.
- ❖ Trace are produced indigenously from Vitamin B12 metabolism.
- Amygdalins, which are hydrolyzed to hydrogen cyanide is present in the seeds of apple, peach, plum, apricot, cherry, and bitter almond.
- Industrial chemicals.

Mechanism of toxicity:

Cyanide binds to cytochrome complex IV > block electrons transport chain > deacrease oxidation;

The tissue will not be able to utilize O2, will remain in venous blood

Anaerobic respiration

No ATO production

Metabolism:

- 1. By cyanide > thiocyanate by rhodanese enzyme >>>renal excretion. (Major pathway)
- 2. Cobalamin + cyanide > cyanocobalamin
- 3. Execration via breath and sweat.

Signs and symptoms:

Major affected organs are CVS & CNS.

- Weakness, dizziness, headache.
- Tachycardia, flushing, nausea, vomiting.

Treatment:

- 1. ABCD.
- 2. Decontamination.
- 3. Antidote:
 - a. Amyl nitrite.
 - b. Sodium nitrite.
 - c. Sodium thiosulfate.

Done by Shahed Atiyat